NEW YORK STATE OF OPPORTUNITY | Department of Environmental Conservation

NYSDEC DIVISION OF MATERIALS MANAGEMENT

6 NYCRR Part 362-2

MSW PROCESSING FACILITY INSPECTION REPORT

FACILITY NAME:	LOCATION:	ACTIVITY #:	DATE:	TIME:
INSPECTOR'S NAME:	INSPECTOR CODE:	PERSONS INTERVIEWED & TITLES		
REGION	WEATHER CONDITIONS:	DEC PERMIT NUMBER		
SHEET 1 OF	CONTINUATION SHEET ☐ YES ☐ NO	PERMIT EXPIRATION DATE		

Violations of Part 360 & Part 362 are Subject to Applicable Civil, Administrative, and Criminal Sanctions Set Forth in ECL Article 71 and as Appropriate, the Clean Water and Air Acts. Additional and/or Multiple Violations May Be Described on the Attached Continuation Sheet. This form is a record of conditions which are observed in the field at the time of inspection. Items marked NI indicate 'No Inspection' and do not mean no violation has occurred.

☐ PART 360 PERMIT ☐ ORDER ON CONSENT ☐ COMPLAINT

C	NI	V	
			FACILITY MANAGEMENT
☐	☐	☐	1. Solid waste management facility is authorized and management occurs within approved area. 360.9(a); 360.9(b)(1); 360.19(c)(9)
☐	☐	☐	2. Posted signs indicating operating hours and types of waste accepted and not accepted. 360.19(c)(1)(i); 360.19(c)(1)(v)(*a*)(*3*); 360.19(c)(1)(v)(*b*)
			3. Operator maintains and operates facility components and equipment in accordance with the permit and their intended use.
☐	☐	☐	a. Maintenance and operating activities are performed in accordance with the Facility Manual. 360.19(d)(1)
☐	☐	☐	b. Sufficient equipment, storage containers and storage areas. 360.19(d)(4)
☐	☐	☐	c. Adequate drainage to enclosed tanks. 360.19(d)(5); 362-2.3(f)
☐	☐	☐	d. Proper site grading. 360.19(d)(6)
☐	☐	☐	e. Maintenance, operation, and calibration of facility components 360.19(d)(7); 362-2.3(d)(1); 362-2.3(d)(3)
☐	☐	☐	f. Waste storage tanks meet the required standards. 360.19(n)
			4. Operational records are available where required:
☐	☐	☐	a. Written information on proper methods for the management of e-waste is maintained. 360.19(c)(1)(v)(*a*)(*2*)
☐	☐	☐	b. Unauthorized solid waste records. 360.19(c)(4)(i)
☐	☐	☐	c. Permit application records and construction certification documents. 360.19(k)(1)
☐	☐	☐	d. Daily log of solid wastes. 360.19(k)(2)(i);
☐	☐	☐	e. Self-inspection records. 360.19(k)(2)(ii); 360.19(n)(3)
☐	☐	☐	f. Monitoring records. 360.19(k)(2)(iii)
☐	☐	☐	g. Personnel training records. 360.19(k)(2)(iv); 362-2.3(d)(8)
☐	☐	☐	h. Annual report. 360.19(k)(3); 362-2.4(b)
☐	☐	☐	i. Radioactive waste detection records 362-2.3(d)(4)-(7); 362-2.4(a)
☐	☐	☐	j. Financial assurance for closure. 360.19(o); 362-2.3(k)
			OPERATION CONTROL
☐	☐	☐	5. Storage volumes and throughput limits are not exceeded. 360.19(c)(11)
☐	☐	☐	6. Attendant is on duty as required. 360.19(c)(12)
☐	☐	☐	7. Tracking of soil, waste, leachate and other materials from the facility onto offsite roadways is prevented. 360.19(d)(3)
☐	☐	☐	8. Solid waste, including blowing litter, is sufficiently confined and controlled. 360.19(c)(5); 360.19(f)
☐	☐	☐	9. Dust is effectively controlled and does not constitute a nuisance. 360.19(g)
☐	☐	☐	10. On-site vector populations are prevented or controlled, and vector breeding areas are prevented. 360.19(h)
☐	☐	☐	11. Odors are effectively controlled so that they do not constitute a nuisance. 360.19(i)
☐	☐	☐	12. Noise is controlled. 360.19(j)
☐	☐	☐	13. Sufficient and appropriately trained staff are available 360.19(l)
			WATER
☐	☐	☐	14. Solid waste is prevented from entering surface waters and/or groundwater**.** 360.19(b)(1)
☐	☐	☐	15. Leachate generation is minimized and is prevented from entering surface waters and/or groundwater except under SPDES permit. 360.19(b)(2)
			ACCESS
☐	☐	☐	16. Access to the facility is strictly and continuously controlled by fencing, gates signs, natural barriers, or other suitable means. 360.19(c)(10)
☐	☐	☐	17. On-site roads are passable. 360.19(d)(2)
☐	☐	☐	18. Facility traffic is managed in a safe and efficient manner. 360.19(d)(2)

_____ _____

Inspector's Signature Date

C - Compliant
NI - No Inspection
V - Violation

Inspector Codes
S - NYSEC inspector
M - On-site Environmental Monitor for NYSDEC
C - Environmental Conservation Officer for NYSDEC

NEW YORK STATE OF OPPORTUNITY | Department of Environmental Conservation

NYSDEC DIVISION OF MATERIALS MANAGEMENT

6 NYCRR Part 362-2

MSW PROCESSING FACILITY INSPECTION REPORT

FACILITY NAME:	ACTIVITY #:	DATE:	TIME:
SHEET 2 OF	CONTINUATION SHEET ☐ YES ☐ NO		

☐ PART 360 PERMIT ☐ ORDER ON CONSENT ☐ COMPLAINT

C	NI	V	WASTE HANDLING
☐	☐	☐	19. Incoming loads of waste are inspected for unauthorized waste and waste accepted is approved for management at the facility. 360.19(c)(1)(ii)
☐	☐	☐	20. Unauthorized waste is segregated, secured, contained, and removed within 7 days after receipt. 360.19(c)(4)
☐	☐	☐	21. Vehicles transporting waste to or from the facility are adequately covered or waste is containerized. 360.19(c)(5); 360.19(d)(8)
☐	☐	☐	22. Only MSW is accepted and processed. 362-2.3(a)
☐	☐	☐	23. Source-separated items subject to NYS product stewardship programs are not accepted, unless approved by the department 362-2.3(b)
☐	☐	☐	24. Friable asbestos waste is not accepted. 362-2.3(c)
☐	☐	☐	25. Waste exceeding 25 pCi/g of radium-226 is not treated. 362-2.3(d)(2)
			26. Processing, tipping, sorting, storage, compaction, and related activities:
☐	☐	☐	a. Are in an enclosed building with adequate odor controls. 362-2.3(e)
☐	☐	☐	b. Are located on a surface constructed of asphalt paving material or concrete. 362-2.3(f)
☐	☐	☐	c. Tipping floor is cleaned daily unless otherwise approved by Department. 362-2.3(g)
☐	☐	☐	27. Refuse-derived fuels and processed recyclables stored separately and maintained to ensure marketability is not affected. 362-2.3(h)
☐	☐	☐	28. Waste is not stored unprocessed for more than 3 days. 362-2.3(i)
☐	☐	☐	29. Residue or refuse-derived fuel removed from the facility earlier of: storage capacity is reached or within 3 days of processing. 362-2.3(i)
☐	☐	☐	30. Processed recyclables are not stored for more than 60 days, unless a longer time is approved by the Department. 362-2.3(j)

OTHER (e.g., diagrams; pictures; comments; additional operating, variance or consent order conditions that can be observed or measured)

Inspector's Signature _____ Date _____

C - Compliant
NI - No Inspection
V - Violation