NEW YORK STATE OF OPPORTUNITY | Department of Environmental Conservation

NYSDEC DIVISION OF MATERIALS MANAGEMENT

6 NYCRR Part 362-1

PERMITTED COMBUSTION OR THERMAL TREATMENT FACILITY INSPECTION REPORT

FACILITY NAME:	LOCATION:	ACTIVITY #:	DATE:	TIME:
INSPECTOR'S NAME:	INSPECTOR CODE:	PERSONS INTERVIEWED & TITLES		
REGION / WEATHER CONDITIONS:		DEC PERMIT NUMBER		
SHEET 1 OF	CONTINUATION SHEET ☐ YES ☐ NO	PERMIT EXPIRATION DATE		

Violations of Part 360 & Part 362 are Subject to Applicable Civil, Administrative, and Criminal Sanctions Set Forth in ECL Article 71 and as Appropriate, the Clean Water and Air Acts. Additional and/or Multiple Violations May Be Described on the Attached Continuation Sheet. This form is a record of conditions which are observed in the field at the time of inspection. Items marked NI indicate 'No Inspection' and do not mean no violation has occurred.

☐ PART 360 PERMIT ☐ ORDER ON CONSENT ☐ COMPLAINT

C	NI	V	
			FACILITY MANAGEMENT
☐	☐	☐	1. Solid waste management facility is authorized and management occurs within approved area. 360.9(a); 360.9(b)(1); 360.19(c)(9)
☐	☐	☐	2. Posted signs indicating operating hours and types of waste accepted and not accepted. 360.19(c)(1)(i); 360.19(c)(1)(v)(*a*)(*3*); 360.19(c)(1)(v)(*b*)
			3. Operator maintains and operates facility components and equipment in accordance with the permit and their intended use.
☐	☐	☐	a. Maintenance and operating activities are performed in accordance with the Facility Manual. 360.19(d)(1)
☐	☐	☐	b. Sufficient equipment, storage containers and storage areas. 360.19(d)(4), 362-1.5(d)(1)
☐	☐	☐	c. Adequate drainage to enclosed tanks. 360.19(d)(5)
☐	☐	☐	d. Proper site grading. 360.19(d)(6)
☐	☐	☐	e. Maintenance, operation and calibration of facility components. 360.19(d)(7); 362-1.5(b)(7)(i); 362-1.5(b)(7)(iii)
☐	☐	☐	f. Waste storage tanks meet the required standards. 360.19(n)
			4. Operational records are available where required:
☐	☐	☐	a. Written information on proper methods for the management of e-waste is maintained. 360.19(c)(1)(v)(*a*)(*2*)
☐	☐	☐	b. Unauthorized solid waste records. 360.19(c)(4)(i)
☐	☐	☐	c. Permit application records and construction certification documents. 360.19(k)(1)
☐	☐	☐	d. Daily log of solid wastes. 360.19(k)(2)(i)
☐	☐	☐	e. Self-inspection records. 360.19(k)(2)(ii); 360.19(n)(3)
☐	☐	☐	f. Monitoring records. 360.19(k)(2)(iii)
☐	☐	☐	g. Personnel training records. 360.19(k)(2)(iv); 362-1.5(e)(1); 362-1.5(e)(2)
☐	☐	☐	h. Annual report. 360.19(k)(3); 362-1.6(b)
☐	☐	☐	i. Radioactive waste detection records. 362-1.5(b)(7)(iv-vii); 362-1.6(a)
☐	☐	☐	j. Financial assurance for closure. 360.19(o); 362-1.5(f)
☐	☐	☐	k. Residue analytical results 362-1.5(c)(4); 362-1.6(c)
			OPERATION CONTROL
☐	☐	☐	5. Storage volumes and throughput limits are not exceeded. 360.19(c)(11)
☐	☐	☐	6. Attendant is on duty as required. 360.19(c)(12)
☐	☐	☐	7. Tracking of soil, waste, leachate and other materials from the facility onto offsite roadways is prevented. 360.19(d)(3)
☐	☐	☐	8. Solid waste, including blowing litter, is sufficiently confined and controlled. 360.19(c(5); 360.19(f)
☐	☐	☐	9. Dust is effectively controlled and does not constitute a nuisance. 360.19(g)
☐	☐	☐	10. On-site vector populations are prevented or controlled, and vector breeding areas are prevented. 360.19(h)
☐	☐	☐	11. Odors are effectively controlled so that they do not constitute a nuisance. 360.19(i)
☐	☐	☐	12. Noise is controlled. 360.19(j)
☐	☐	☐	13. Sufficient and appropriately trained staff are available 360.19(l)
			WATER
☐	☐	☐	14. Solid waste is prevented from entering surface waters and/or groundwater**.** 360.19(b)(1)
☐	☐	☐	15. Leachate generation is minimized and is prevented from entering surface waters and/or groundwater except under SPDES permit. 360.19(b)(2)
			ACCESS
☐	☐	☐	16. Access to the facility is strictly and continuously controlled by fencing, gates signs, natural barriers, or other suitable means. 360.19(c)(10)
☐	☐	☐	17. On-site roads are passable. 360.19(d)(2)
☐	☐	☐	18. Facility traffic is managed in a safe and efficient manner. 360.19(d)(2)

_____ _____

Inspector's Signature Date

C - Compliant
NI - No Inspection
V - Violation

Inspector Codes
S - NYSEC inspector
M - On-site Environmental Monitor for NYSDEC
C - Environmental Conservation Officer for NYSDEC

NEW YORK STATE OF OPPORTUNITY | Department of Environmental Conservation

NYSDEC DIVISION OF MATERIALS MANAGEMENT

6 NYCRR Part 362-1

PERMITTED COMBUSTION OR THERMAL TREATMENT FACILITY INSPECTION REPORT

FACILITY NAME:	ACTIVITY #:	DATE:	TIME:
SHEET 2 OF	CONTINUATION SHEET ☐ YES ☐ NO		

☐ PART 360 PERMIT ☐ ORDER ON CONSENT ☐ COMPLAINT

C	NI	V	
			WASTE HANDLING
☐	☐	☐	19. Incoming loads of waste are inspected for unauthorized waste and waste accepted is approved for management at the facility. 360.19(c)(1)(ii); 362-1.5(b)(2)
☐	☐	☐	20. Unauthorized waste is segregated, secured, contained, and removed within 7 days after receipt. 360.19(c)(4)
☐	☐	☐	21. Vehicles transporting waste from the facility are adequately covered or waste is containerized. 360.19(c)(5); 360.19(d)(8)
☐	☐	☐	22. Waste is received, evaluated, and treated in accordance with the waste control plan. 362-1.5(b)(1); 362-1.5(b)(7)(ii); 362-1.5(b)(9)(ii); 362-1.5(b)(9)(iii)
☐	☐	☐	23. Waste stored does not exceed the capacity of the waste storage bunker or the approved storage area. 362-1.5(b)(3)
☐	☐	☐	24. Processing, tipping, sorting, storage, and related activities are in an enclosed building. 362-1.5(b)(3); 362-1.5(b)(4)
☐	☐	☐	25. External storage of non-putrescible recyclables or oversized, bulky or excluded waste is in covered containers and removed within 10 days. 362-1.5(b)(4)
☐	☐	☐	26. Rejected, oversized, bulky, excluded, untreatable or bypass waste is disposed at an authorized facility. 362-1.5(b)(6)
☐	☐	☐	27. Source-separated recyclables are not accepted unless approved as feedstock. 362-1.5(b)(8)
☐	☐	☐	28. Source-separated items subject to NYS product stewardship programs are not accepted unless approved as feedstock. 362-1.5(b)(8)
☐	☐	☐	29. Source-separated household hazardous wastes are not accepted. 362-1.5(b)(8)
☐	☐	☐	30. Regulated medical waste is handled separately and unloaded directly into the combustion unit. 362-1.5(b)(9)(i-vi)
			31. Source-separated pharmaceutical waste is handled separately. 362-1.5(b)(9)(i-vi)
			32. Reasonable precautions are taken to not accept food scraps from designated food scrap generators. 362-1.5(g)
			RESIDUE MANAGEMENT
☐	☐	☐	33. Residue is sampled in accordance with the residue sampling and analysis plan. 362-1.5(c)(2)(i); 362-1.5(c)(3)(i)
☐	☐	☐	34. Residue storage is sufficient to accommodate short-term interruptions of residue transport and disposal. 362-1.5(d)(1)
☐	☐	☐	35. Residue storage does not exceed 7 times the daily design output. 362-1.5(d)(2)
☐	☐	☐	36. Residue is stored in an enclosed building on an impermeable base or in a covered container. 362-1.5(d)(3); 362-1.5(d)(4)
☐	☐	☐	37. Liquids draining from residue storage piles are collected and controlled. 362-1.5(d)(3)
☐	☐	☐	38. Residue is drained of free liquid prior to transport. 362-1.5(d)(5)
☐	☐	☐	39. Dust from residue is prevented during storage, loading and transport. 362-1.5(d)(6)
☐	☐	☐	40. Residue is transported in enclosed or covered vehicles. 362-1.5(d)(7)
			ADDITIONAL REQUIREMENTS FOR COMBUSTION FACILITIES THAT RECEIVE MSW/ PUTRESCIBLE WASTE
☐	☐	☐	41. Power generation equipment or other energy recovery equipment is operated while facility is operational. 362-1.5(a)
☐	☐	☐	42. Negative air pressure is maintained in the storage area and tipping area when the facility is operational. 362-1.5(b)(5)

OTHER (e.g., diagrams; pictures; comments; additional operating, variance or consent order conditions that can be observed or measured)

Inspector's Signature _____ Date _____

C - Compliant
NI - No Inspection
V - Violation